

Aug. 28. 2003 5:01PM FRISHAUF & PARTNERS

No. 1225 P. 2/16
From: CHICK

Appl. No. 10/089,972
Reply to Office Action of June 20, 2003

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A cleaning method for cleaning at least part of an ultrapure water supply system having an ultrapure water production apparatus connected to a point of use of ultrapure water via a passage, comprising the steps of:

(a) changing surface potential of fine particles present in the at least part of the ultrapure water supply system into the same polarity as that of component parts constituting elements of the ultrapure water supply system by changing the surface potential of the fine particles from positive to negative; and

(b) discharging the fine particles from the at least part of the ultrapure water supply system to the outside of the ultrapure water supply system, together with cleaning liquid or ultrapure water for rinsing.

Appl. No. 10/089,972
Reply to Office Action of June 20, 2003

2. (Currently Amended) The cleaning method according to claim 1, wherein in said step (a), the surface potential of the fine particles is changed by bringing the fine particles into are made to contact with a basic solution or a solution of surfactant.

3. (Currently Amended) The cleaning method according to claim 2 ~~[[1]]~~, wherein in said step (a), ~~the surface potential of the fine particles is changed and also~~ physical force is applied to the fine particles while they are in contact with the basic solution or the solution of surfactant.

4. (Currently Amended) The cleaning method according to claim 3, wherein in said step (a), ~~[[a]]~~ the basic solution or ~~[[a]]~~ the solution of surfactant is caused to flow through the at least part of the ultrapure water supply system at a flow velocity of 0.5 m/sec to 2.0 m/sec.

Appl. No. 10/089,972
Reply to Office Action of June 20, 2003

5. (Currently Amended) The cleaning method according to claim 3, wherein in said step (a), physical force is applied to the fine particles by keeping the ~~with a~~ basic solution or ~~[[a]]~~ the solution of surfactant kept in contact with the at least part of the ultrapure water supply system, ~~the solution is applied with~~ while applying small-amplitude vibration vibrations with ultrasonic waves.

6. (Previously Presented) The cleaning method according to claim 2, wherein the basic solution is an aqueous solution of ammonia or ammonium salt, or an aqueous solution of alkali metal hydroxide, or a mixture of the aqueous solution of ammonia or ammonium salt and the aqueous solution of alkali metal hydroxide.

7. (Previously Presented) The cleaning method according to claim 2, wherein the basic solution is pure water or ultrapure water in which alkaline gas is dissolved.

Aug. 28. 2003 5:01PM FRISHAUF & PARTNERS

No. 1225 P. 5/16
From: CHICK

Appl. No. 10/089,972
Reply to Office Action of June 20, 2003

8. (Previously Presented) The cleaning method according to claim 4, wherein the basic solution is an aqueous solution of ammonia or ammonium salt, or an aqueous solution of alkali metal hydroxide, or a mixture of the aqueous solution of ammonia or ammonium salt and the aqueous solution of alkali metal hydroxide.

9. (Previously Presented) The cleaning method according to claim 5, wherein the basic solution is an aqueous solution of ammonia or ammonium salt, or an aqueous solution of alkali metal hydroxide, or a mixture of the aqueous solution of ammonia or ammonium salt and the aqueous solution of alkali metal hydroxide.

10. (Previously Presented) The cleaning method according to claim 4, wherein the basic solution is pure water or ultrapure water in which alkaline gas is dissolved.

11. (Previously Presented) The cleaning method according to claim 5, wherein the basic solution is pure water or ultrapure water in which alkaline gas is dissolved.